

LORETO



Main features

- Interior en vermiculite.
- Cast iron door and grate.
- Triple Combustion System.
- Regulation of the primary air inlet.
- Door with black screen-printed glass.
- Glove and spray paint included.

Optional elements:

- KIT-AIR-16: External air kit. To become airtight.

Colores disponibles:



DESIGN

Stove with 180° fire view



INTERIOR

Vermiculite and cast iron














AIRTIGHT MODEL

Ideal for passive houses



Datos técnicos

 Potencia cedida al aire (kW) máx.-mín.: 13 - 4,2	 Potencia (kW) nom.: 10
 Volumen calefactable (m³): 250	 Rendimiento %: 81
 Consumo (kg/h): 3	 Diámetro de salida de humos (cm): 15
 Peso (Kg): 61	 Tamaño máximo troncos (cm): 56
 Medidas boca útil: 450x290x330	 Material exterior: Acero y Fundición
 Material cámara combustión: Vermiculita	

Sistemas

 Sistema Cristal Limpio	 Sistema Triple Combustión
---	---

Certificaciones



15aB-VG
DIN Plus
L.BimSchV2

Given the continuous improvement of our products and the refinement of our manufacturing process, the dimensions, aesthetics of the product and technical characteristics are subject to possible variations without prior notice from our company. ©Bronpi Calefacción, S.L. reserves all rights to the images appearing in this document. The partial or total reproduction or dissemination of the photographs and text is prohibited. Both the brand and the symbols are distinctive features that are the exclusive property of the company. Violators will be prosecuted in accordance with the law.