

LIRA



Main features


- Airtight model. Includes external air intake.
- Completely manufactured in cast iron.
- Handle finish in natural wood.
- Regulation of the primary, secondary and triple air inlet regulations.
- Possibility of upper or rear smoke outlet.
- Triple Combustion System.
- Includes glove.

Colores disponibles:



AIRTIGHT MODEL

Ideal for passive houses




COMPLETELY

made in cast iron



HANDLE












finish in natural wood



SMOKE OUTLET

upper or rear

Datos técnicos

 Potencia cedida al aire (kW) máx.-mín.: 6,3 - 1,7	 Potencia (kW) nom.: 5
 Volumen calefactable (m ³): 125	 Rendimiento %: 81
 Consumo (kg/h): 1,5	 Diámetro de salida de humos (cm): 12,5
 Peso (Kg): 84	 Tamaño máximo troncos (cm): 30
 Medidas boca útil: 286x202x210	 Material exterior: Fundición
 Material cámara combustión: Fundición	

Sistemas

 Sistema Cristal Limpio	 Sistema Triple Combustión
---	---

Certificaciones



15aB-VG
DIN Plus
I.BimSchV2

Given the continuous improvement of our products and the refinement of our manufacturing process, the dimensions, aesthetics of the product and technical characteristics are subject to possible variations without prior notice from our company. ©Bronpi Calefacción, S.L. reserves all rights to the images appearing in this document. The partial or total reproduction or dissemination of the photographs and text is prohibited. Both the brand and the symbols are distinctive features that are the exclusive property of the company. Violators will be prosecuted in accordance with the law.