TECHNICAL PARAMETERS FOR SOLID FUEL LOCAL SPACE HEATERS EU 2015/1186 OF 24. APRIL 2015

Model identifier(s): Scar	05							
				No				
Indirect heating functionality Direct heat output(kW)				8				
Indirect heat output(kW)				o N.A				
Fuel				Preferred fuel (only one) Model identifier(s)				
Vood logs with moisture content < 25%				Yes No				
Compressed wood with moisture content < 12%				No		No		
Other woody biomass				No		No		
Anthracite and dry steam coal				No		No		
Hard coke				No		No		
Low temperature coke				No		No		
Bituminous coal				No		No		
Lignite briquettes				No	No			
Peat briquettes				No		No		
Blended fossil fuel briquettes				No	No			
Other fossil fuel				No		No		
Blended biomass and fossil fuel briquettes				No		No		
Other blend of biomass and solid fuel				No		No		
Characteristics when op			red fuel					
	-			69				
Seasonal space heating energy efficiency η_s [%] Energy Efficiency Class				A+				
Energy Efficiency Index (EEI)				104,1				
				C 1 1		11.5		
ltem	Symbol	Value	Unit	ltem	Symbol	Value	Unit	
Heat output				Use efficiency (NCV as r Useful efficiency at	eceived)			
Nominal heat output	P _{nom}	8	kW	nominal heat output	$\eta_{\rm th,nom}$	78	%	
Minimum heat output (indicative)	P_{min}	N.A.	kW	Useful efficiency at minimum heat output (indicative)	$\eta_{_{th,min}}$	N.A.	%	
Auxiliary electricity con	sumption			Type of heat output/roo	om temperat	ture control	(select one	
At nominal heat output	el _{max}	x,xxx	kW	single stage heat output, no room temperature control		[yes/no]		
At minimum heat output	el _{min}	x,xxx	kW	two or more manual stages, no room temperature control		[yes/no]	Yes	
In standby mode	el _{sb}	x,xxx	kW	with mechanic thermostat room temperature control		[yes/no]		
				with electronic room temperature control		[yes/no]		
				with electronic room temperature control plus day timer		[yes/no]		
				with electronic room temperature control plus week timer		[yes/no]		
				Other control options (multiple select		tions possible)	
				room temperature control, with presence detection		[yes/no]		
				room temperature control, with open window detection		[yes/no]		
				with distance control o	otion	[yes/no]		
Permanent pilot flame p	ower requir	ement						
Pilot flame power re- quirement (if applicable)	P _{pilot}	N.A.	kW					
Contact details	Name and	address of	the supplie	11	D Manager, Scan A	A/S, Denmark		